

Built by Knud Smenge (Melbourne) in 2000.

Specifications

GREAT

Bourdon	16' (A)
Principal	8'
Hohlflute	8' (B)
Rohrflute	8'
Gamba	8'
Salicional	8' (C)
Octave	4'
Harmonic Flute	4'
Spitzflute	4' (D)
Octave	2'
Mixture IV-V	2'
Trumpet	8'

Tremulant

SWELL (enclosed)

Bourdon	16' (A)
Hohlflute	8' (B)
Salicional	8' (C)
Voix Celeste	8'
Principal	4'
Spitzflute	4'
Nazard	2 2/3'
Waldflute	2'
Terz	1 3/5'
Mixture IV	1 1/3'
Fagot	16' (E)
Harmonic Trumpet	8'
Oboe	8' (F)

Tremulant

POSITIV (enclosed)

Gedackt 8'

Rohrflute 4'

Principal 2'

Nasat 1 1/3'

Sesquialtera II

Clarinet 8'

Fanfare Trumpet 8' (unenclosed)

Spitzflute 8' (D)

Tremulant

PEDAL

Untersatz 32' (G)

Subbas 16' (G)

Principal 16' (H)

Bourdon 16' (A)

Bourdon 8' (A)

Octave 8' (H)

Spitzflute 8'

Choral Bass 4'

Mixture IV 2 2/3'

Bombarde 16'

Trumpet 8'

Fagot 16' (E)

Fagot 8' (E)

Oboe 4' (F)

COUPLERS

Great and Pedal Piston Coupler

Great to Pedal

Swell to Great

Swell to Pedal

Swell to Positiv

Swell Sub Octave

Swell Super Octave

Positiv to Great

Positiv to Pedal

Positiv Sub Octave

Positiv Super Octave

COMPASS

61/32

Electric Key and Stop Action

ACCESSORIES

Sequencer

Both Swells on Swell Pedal

Invert Manuals II and I

Cone tuning

Equal Temperament